


TEKNIKUM® Vibration damping sheet Square



Teknikum® Vibration damping profile sheets are practical to use in applications where a fixed damping installation is not possible, or a profile is needed for severing an acoustic bridge.

Vibration damping profile sheets can be used under machines and devices and in the intermediate constructions in buildings.

Teknikum® Vibration damping profile sheets vary in their form and hardness, and their maximum loads and natural frequencies. Some of our profiles, such as Square, offer the possibility to use several sheets on top of each other. This allows for a change of the natural frequencies with maximum loads.

ADVANTAGES

- Durable and wear resistant
- Effective for severing acoustic bridge
- Effective for damping vibration

TECHNICAL PROPERTIES

Structure

- Black Chloroprene rubber (CR)

Temperature range

- 35°C... +100°C

ENVIRONMENTAL RESISTANCE

- Weather-resistant
- Load bearing

MANUFACTURER

Teknikum Oy (Business ID FI07645274),
Nokiankatu 1, 38210, Sastamala, Finland

More information

sales@teknikum.com

www.teknikum.com

All rights reserved. © 2020 Teknikum Group Ltd.



ORDER REFERENCE

Product code	Size mm	Marking	Maximum load	Nominal frequency at max load	Minimum delivery batch
128540/ MLF 1035	10 x 500 x 500	1 green dot	0,4 MPa	16 / 13 / 11 (1/2/3 mats)	5
128541/ MLF 1037	10 x 500 x 500	2 green dots	0,8 MPa	24	5

AVAILABILITY (table text color)

Blue = on stock

Grey = project orders on demand

REFERENCE IMAGES

